Breakthrough Solutions for Connected Care



ILHIE

HealthShare Consent Management Demo

February 2012



HealthShare Consent Services



- HealthShare provides built-in flexible consent management. Consent is enforced in two general ways:
 - Patient matching: When the Hub receives a request for matches, the Hub returns only those patients who have agreed to be listed in the MPI
 - Clinical data: When a Gateway receives a request for data for a specific patient, the Gateway returns only those portions of the records that the patient has agreed to share
- The system can be configured to either require explicit consent by each patient or to assume consent unless the patient explicitly specifies otherwise.



Consent Scenarios



- Patient grants access to PCP
- Patient grants access to Specialist
- Patient grants access to sensitive information to Specialist





- Patient "John Smith" came in to see Dr. X for the first time
- John signed a consent form to allow Dr. X to access his record
- Dr. X can now search for "John Smith" and view his clinical record





DEMO



Patient grants access to Specialist



- Patient "John Smith" went see Dr. Y for the first time
- John signed a consent form to allow Dr. Y to access his record
- Dr. Y can now search for "John Smith" and view his clinical record





DEMO



Patient grants access to sensitive information to Specialist



- Dr. Y ordered HIV test for John Smith, the result came back negative
- John does not want other doctors (including his PCP Dr.
 X) to see this test result
- John signed a consent form to allow ONLY Dr. Y, his specialist, to access his HIV lab results
- Dr. Y can see John's full record but Dr. X can only see
 John's record with the HIV test results filtered out





DEMO









Appendix A – HealthShare System-wide Consent Policies Management Portal



L.	SHARE	System-wi	de Consent Policies	My Account Show Connection Details
hare Man	agement Home] > [Hub Manag	ger] > [Consent Registr	y]	
MPI	pe of Consent:			
Page size		: < << <mark>1</mark> >> > of 1		
	-wide policy lines currently			
» 1	Decision Default Block	Effective	Expiration Delete	
<			III	
Add Pol	em-wide Policy Line			•
Syste Decision Default B Effectiv Expiratio	em-wide Policy Line n: * Block: matches are hidden, unles		or patient	



Appendix B – HealthShare Patient MPI Consent Policies Management Portal



ALTH SHARE	Patient Consent Policies	My Account Show Connection
hare Management Home] > [Hub Mana	ager] > [Consent Registry]	
Select a patient: Search for a	Patient	
MPIID: 100000001	Select Type of Consent:	
Patient Name: Smith, John	® MPI	
	© Clinical Information	
Current MPI System-wide Setting	: Default Block	
Page size: 0 Results: 0 Pag	ge: < << <mark>1</mark> >> > of 1	
D-4:4		
Patient policy lines currently defir		Effective Expiration MRN
No results	Decision	Effective Expiration MRN
110100000		
•	m	
	III	
Add Policy	III.	
Add Policy Patient Policy Line		
Add Policy Patient Policy Line Facility: * [All]	·''	
Add Policy Patient Policy Line Facility: * [All] MRN:	<u>v</u>	
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority:		
Add Policy Patient Policy Line Facility: * [All] MRN:		
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: V Allow Override Consent Policy Decision: *		▼
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date:	y sed for this patient to the following groups	
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Allow Override Consent Policy Decision: * Block Except: matches are only return	y deed for this patient to the following groups	Ţ.
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date:	y sed for this patient to the following groups	T
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: V Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date: Available Groups	y indeed for this patient to the following groups (Date format: YYYY-MM-DD) Selected Groups	¥
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date:	y index for this patient to the following groups (Date format: YYYY-MM-DD)	¥
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: V Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date: Available Groups	y indeed for this patient to the following groups (Date format: YYYY-MM-DD) Selected Groups	
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: V Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date: Available Groups	y indeed for this patient to the following groups (Date format: YYYY-MM-DD) Selected Groups	
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: V Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date: Available Groups	y Indeed for this patient to the following groups III (Date format: YYYY-MM-DD) Selected Groups HSGroup_Specialist	
Add Policy Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Allow Override Consent Policy Decision: * Block Except: matches are only return Effective Date: Expiration Date: Available Groups	y indeed for this patient to the following groups (Date format: YYYY-MM-DD) Selected Groups	



Appendix C – HealthShare Patient Clinical Information Consent Policies Management Portal



EALTHSHARE thShare Management Home] > [Hub Manager	Patient Consent Policies	My Account Show Connection Details
Select a patient: Search for a Pati MPIID: 100000001 Patient Name: Smith, John		
Page size: Results: 0 Page: Patient policy lines currently defined:	: Type Decision Effective Expiration Event Start Event End	MRN
Add Policy	III.	
Patient Policy Line Facility: * [All] MRN: AssigningAuthority: Prevent Override Consent Policy Clinical Information Type: * HIV	▼ ▼	
Decision: * Show Except: clinical type is hidden for thi Effective Date:		
Available Groups HSGroup_PCP	Selected Groups HSGroup_Specialist	

